

Clyde D. Graeber, Secretary

October 21, 1999

Mr. Ron Robertson, CHMM Safety-Kleen Wichita (Formerly Laidlaw) 2549 North New York Wichita, Kansas 67219

Re:

Hazardous Waste Compliance Inspection

EPA Identification Number KSD007246846

Dear Mr. Robertson:

I have reviewed your written responses dated June 3 & July 7, 1999 which address the remaining violation from my November 3-4, 1998 inspection of your facility. According to the information provided you have "resurfaced with an impermeable coating on June 30, 1999" the processing area floor.

Based on this information you have satisfactorily addressed the requirements of Permit Condition III F which specifies secondary containment requirements. Your facility is now considered to be <u>in compliance</u> to hazardous waste regulations relevant to the findings of my inspection.

Thank you for your cooperation with the hazardous waste management program of Kansas. If you have any further questions regarding the inspection or this letter, you may contact me via telephone, fax or e-mail listed below.

Respectfully,

Gilbert L. Perez, CHMM

Waste Management Programs

pc:

John Mitchell, Waste Policy/Planning/Outreach, BWM, KDHE, Topeka

Ron Smith, Technical Support, BWM, KDHE, Topeka

SCD File

R00171951

RCRA RECORDS CENTER

DIVISION OF ENVIRONMENT

Bureau of Environmental Field Services

South Central District Office 130 South Market, 6th Floor Wichita, Kansas 67202-3802

Printed on Recycled Paper

TELE (316) 337 - 6020 FAX (316) 337 - 6023 gperez@kdhe.state.ks.us